

- Physical:
159 Goodwood St
Kyalami Estate
1684
- Postal:
PO Box 645
LONEHILL
2062
- Telephone:
011 025-8838
011 026-0107
- Facsimile:
086 687-8300
- Email:
anton@trivortex.co.za
- Website:
www.trivortex.co.za



Taste Test & Stretch Test

There are 2 tests commonly performed to check the effectiveness of Tri-Vortex™ products:

Taste Test

1. Pour two 1/4 glasses of either red wine or orange juice.
2. Place 1 of the glasses on a Tri-Vortex™ Disc and move the other at least 3 meters away.
3. Wait for 3-5 minutes and compare the two drinks by first smelling and then tasting each one.

The following will be observed:

The treated drink will smell different, the acidic taste or tartness will be noticeably reduced and have a smooth taste. Those with sensitive taste buds will record a difference in all liquids.

Please Note: A few people and most smokers and coffee drinkers have a reduced sense of smell and taste, therefore the differences may not be as obvious.

Stretch Test

Stretch tests can also be conducted after you receive any kind of Tri-Vortex™ product.

Everyone, no matter if you are a couch potato or a yoga instructor, has a sore, aching or "catch point" in the lower back, hamstrings or knees when you lock your knees straight and attempt to touch your toes.

The Tri-Vortex™ Technology significantly relieves the achy soreness or the "catch point" in the lower back, hamstrings or knees while attempting to touch your toes.

1. Make sure the person being tested has not been exposed to any Tri-Vortex product for at least 48 hours.
2. The individual locks their knees and lifts their hands above their head.
3. The individual slowly bends over and attempts to touch their toes and attains their maximum stretch point and holds it for two to three seconds.
4. The individual lifts their hands above their head and identifies place on their body that is the achy, sore "catch point".
5. A Tri-Vortex product is placed on the achy sore "catch point" for three to five minutes.
6. Steps 2 thru 4 are repeated.
7. Has the achy sore "catch point" significantly changed and become less achy and less sore, or gone all together?
8. This test can be applied to other stretches that cause "catch points" at other locations on the body.